

Product Catalog

2025



Welcome to ImportDeals

We pride ourselves on providing high-quality webbing, straps, and hardware for various industrial applications. Our commitment to durability, safety, and customization ensures that our products meet the highest standards of quality and reliability.



QUALITY

We never compromise on the quality of our products. Each item is rigorously tested to meet industry standards.



CUSTOMER FOCUS

Your satisfaction is our priority. We offer customization options to suit your specific needs.



INNOVATION

We continuously seek to improve our products and processes to provide you with the best solutions.

FACTORY VISIT

We recently visited our supplier's factory to get a firsthand look at the manufacturing process.



During the visit, we observed the **meticulous processes** involved in producing our webbing and straps. From selecting **high-quality materials** to the final assembly, every step is carefully monitored to ensure excellence.



Customized solutions for the industry

At ImportDeals, we pride ourselves on delivering tailored solutions to meet the specific needs of our customers.

A great example of this is our collaboration with a company specializing in **securing slurry tanks**.

For this project, we developed and supplied high-quality stainless steel ratchet buckles and straps, ensuring durability and stability in the most demanding environments.

Our business thrives on adapting to your requirements—be it small or large-scale projects. Whether you need **standard products** or **customized solutions**, we're here to help you find the optimal solution.

Support@importdeals.dk or +45 29 82 87 74

Securing goods with ratchet lashing straps

At ImportDeals, we provide a wide range of Ratchet Lashing Straps that are essential for safely securing goods during transport. These straps, combined with our high-quality stainless steel ratchet buckles, offer the strength and reliability required to keep your cargo secure, whether you're transporting heavy machinery, building materials, or other goods.



Our ratchet lashing straps are designed to handle the toughest conditions, ensuring that your cargo remains in place throughout the journey.

With our industry-standard solutions, you can trust ImportDeals to provide the best in safety and durability for your transport needs.

EN-STANDARD STRAPS



50MM 5T RATCHET LASHING STRAP “J” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS5000J-8	50 MM	8 M	2,500 KG	5,000 KG	10/CTN
RS5000J-10	50 MM	10 M	2,500 KG	5,000 KG	10/CTN
RS5000J-12	50 MM	12 M	2,500 KG	5,000 KG	10/CTN



50MM 4T RATCHET LASHING STRAP “U” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS4000U-8	50 MM	8 M	2,000 KG	4,000 KG	10/CTN
RS4000U-10	50 MM	10 M	2,000 KG	4,000 KG	10/CTN
RS4000U-12	50 MM	12 M	2,000 KG	4,000 KG	10/CTN



50MM 4T RATCHET LASHING STRAP “J” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS4000J-8	50 MM	8 M	2,000 KG	4,000 KG	10/CTN
RS4000J-10	50 MM	10 M	2,000 KG	4,000 KG	10/CTN
RS4000J-12	50 MM	12 M	2,000 KG	4,000 KG	10/CTN



35MM 3T RATCHET LASHING STRAP “J” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS3000J-8	35 MM	8 M	1,500 KG	3,000 KG	20/CTN
RS3000J-10	35 MM	10 M	1,500 KG	3,000 KG	20/CTN
RS3000J-12	35 MM	12 M	1,500 KG	3,000 KG	20/CTN



25MM 1,5T RATCHET LASHING STRAP “J” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS1500J-4	25 MM	4 M	750 KG	1,500 KG	30/CTN
RS1500J-5	25 MM	5 M	750 KG	1,500 KG	30/CTN
RS1500J-6	25 MM	6 M	750 KG	1,500 KG	30/CTN

75MM 10T EN RATCHET LASHING STRAP “J” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS10000J-6	75 MM	6 M	5,000 KG	10,000 KG	4/CTN
RS10000J-8	75 MM	8 M	5,000 KG	10,000 KG	4/CTN
RS10000J-10	75 MM	10 M	5,000 KG	10,000 KG	4/CTN



50MM 2T RATCHET LASHING STRAP E-FITTING

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS2000E-6	50 MM	6 M	1,000 KG	2,000 KG	20/CTN
RS2000E-8	50 MM	8 M	1,000 KG	2,000 KG	20/CTN
RS2000E-10	50 MM	10 M	1,000 KG	2,000 KG	20/CTN



25MM 0,8T RATCHET LASHING STRAP “S” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS800S-4	25 MM	4 M	400 KG	800 KG	50/CTN
RS800S-5	25 MM	5 M	400 KG	800 KG	50/CTN
RS800S-6	25 MM	6 M	400 KG	800 KG	50/CTN



25MM 0,8T SS RATCHET LASHING STRAP “SS” HOOK

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
RS800SS-4	25 MM	4 M	400 KG	800 KG	50/CTN
RS800SS-5	25 MM	5 M	400 KG	800 KG	50/CTN
RS800SS-6	25 MM	6 M	400 KG	800 KG	50/CTN



35MM 0,8T CAMBUCKLE LASHING STRAP

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
CS800-4	35 MM	4 M	400 KG	800 KG	50/CTN
CS800-5	35 MM	5 M	400 KG	800 KG	50/CTN
CS800-6	35 MM	6 M	400 KG	800 KG	50/CTN



35MM 0,6T CAMBUCKLE LASHING STRAP

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
CS700-4	35 MM	4 M	350 KG	700 KG	50/CTN
CS700-5	35 MM	5 M	350 KG	700 KG	50/CTN
CS700-6	35 MM	6 M	350 KG	700 KG	50/CTN



25MM 0,25T CAMBUCKLE LASHING STRAP

ITEM NO.	WIDTH	LENGTH	WORKING LOAD LIMIT	BREAKING STRENGTH	PACK
CS250-4	25 MM	4 M	125 KG	250 KG	100/CTN
CS250-5	25 MM	5 M	125 KG	250 KG	100/CTN
CS250-6	25 MM	6 M	125 KG	250 KG	100/CTN



Lifting heavy loads with round slings

At ImportDeals, we offer a comprehensive selection of Round Slings designed for lifting heavy loads with ease and precision. Our slings are made from high-tenacity polyester, ensuring both strength and flexibility, making them ideal for lifting a variety of materials such as steel beams, pipes, and construction equipment.

Whether you're working in construction, manufacturing, or logistics, our round slings are engineered to handle even the heaviest loads safely. With safety factors ranging from 5:1 to 8:1, these slings provide reliable performance in demanding environments.



Available in multiple sizes and load capacities, our round slings are the perfect solution for lifting and securing goods with **maximum efficiency and safety.**

WEBBING SLING

FLAT WEBBING SLING

EU STANDARD (EN 1492-1:2000+A1:2008)



100% HIGH TENACITY POLYESTER

1 TON
FOR EACH STRIPE

1M-20M
AVAILABLE

5:1 6:1 7:1 8:1
SAFETY FACTORS

LOW
ELONGATION

SINGLE PLY
OR DOUBLE
PLY

REINFORCED
LIFTING EYES

	WORKING LOAD LIMIT WITH 1 WEBBING SLING						WORKING LOAD LIMIT WITH 2 WEBBING SLING			
WEBBING WIDTH (MM)	COLOR CODED STRAPS	STRAIGHT LIFT	CHOKED LIFT	B			STRAIGHT LIFT UP TO 45°	CHOKED LIFT UP TO 45°	STRAIGHT LIFT UP TO 45°-60°	CHOKED LIFT UP TO 45°-60°
				0°-7°	7°-45°	45°-60°				
										
		1.0	0.8	2.0	1.4	1.0	1.4	1.12	1.0	0.8
25/30/50	WLL 1T	1,000	800	2,000	1,400	1,000	1,400	1,120	1,000	800
50/60	WLL 2T	2,000	1,600	4,000	2,800	2,000	2,800	2,240	2,000	1,600
75/90	WLL 3T	3,000	2,400	6,000	4,200	3,000	4,200	3,360	3,000	2,400
100/120	WLL 4T	4,000	3,200	8,000	5,600	4,000	5,600	4,480	4,000	3,200
125/150	WLL 5T	5,000	4,000	10,000	7,000	5,000	7,000	5,600	5,000	3,200
150/180	WLL 6T	6,000	4,800	12,000	8,400	6,000	8,400	6,720	6,000	4,800
200/240	WLL 8T	8,000	6,400	16,000	11,200	8,000	11,200	8,960	8,000	6,400
250/300	WLL 10T	10,000	8,000	20,000	14,000	10,000	14,000	11,200	10,000	8,000
300	WLL 12T	12,000	9,600	24,000	16,800	12,000	16,800	13,440	12,000	9,600
300	WLL 20T	20,000	16,000	40,000	28,000	20,000	28,000	22,400	20,000	16,000



DOUBLE PLY EYE AND EYE WEBBING SLING CLASS 5*

* Class 5 means rated loads are based on a stuffer weave construction webbing possessing a minimum certified tensile strength of 6,800lb/inch width

ITEM	WEBBING WIDTH (INCH)	VERTICAL	CHOKER	VERTICAL BASKET	60° BASKET	45° BASKET	30° BASKET	MBS
		LBS.	LBS.	LBS.	LBS.	LBS.	LBS.	
KSWs-2-6010	1	2,200	1,760	4,400	3,810	3,111	2,200	11,000
KSWs-2-6015	1 - 1/2	3,300	2,640	6,600	5,716	4,666	3,300	16,500
KSWs-2-6017	1 - 3/4	3,800	3,040	7,600	6,582	5,374	3,800	19,000
KSWs-2-6020	2	4,400	3,520	8,800	7,621	6,222	4,400	22,000
KSWs-2-6030	3	6,600	5,280	13,200	11,432	9,333	6,600	33,000
KSWs-2-6040	4	8,200	6,560	16,400	14,203	11,595	8,200	41,000
KSWs-2-6050	5	10,200	8,160	20,400	17,667	14,423	10,200	51,000
KSWs-2-6060	6	12,300	9,840	24,600	21,304	17,393	12,300	61,500



DOUBLE PLY EYE AND EYE WEBBING SLING CLASS 7*

* Class 7 means rated loads are based on a stuffer weave construction webbing possessing a minimum certified tensile strength of 6,800lb/inch width

ITEM	WEBBING WIDTH (INCH)	VERTICAL	CHOKER	VERTICAL BASKET	60° BASKET	45° BASKET	30° BASKET	MBS
		LBS.	LBS.	LBS.	LBS.	LBS.	LBS.	
KSWs-2-9010	1	3,100	2,480	6,200	5,370	4,384	3,100	15,500
KSWs-2-9015	1 - 1/2	4,700	3,760	9,400	8,141	6,646	4,700	23,500
KSWs-2-9017	1 - 3/4	5,400	4,320	10,800	9,353	7,636	5,400	27,000
KSWs-2-9020	2	6,200	4,960	12,400	10,738	8,767	6,200	31,000
KSWs-2-9030	3	8,800	7,040	17,600	15,242	12,444	8,800	44,000
KSWs-2-9040	4	11,000	8,800	22,000	19,052	15,554	11,000	55,000
KSWs-2-9050	5	13,700	10,960	27,400	23,729	19,372	13,700	68,500
KSWs-2-9060	6	16,500	13,200	33,000	28,578	23,331	16,500	82,500
KSWs-2-9080	8	22,750	18,200	45,500	39,403	32,169	22,750	113,750
KSWs-2-9100	10	28,400	22,720	56,800	49,189	40,158	28,400	142,000

ROUND SLING

EU STANDARD (EN 1492-2:2000+A1:2008)



100% HIGH TENACITY POLYESTER

1 TON
FOR EACH STRIPE

1M-20M
AVAILABLE

5:1 6:1 7:1 8:1
SAFETY FACTORS

LOW
ELONGATION

TWO PLY
HEAVY DUTY

		WORKING LOAD LIMIT WITH 1 WEBBING SLING							WORKING LOAD LIMIT WITH 2 WEBBING SLING			
COLOR	COLOR CODE	STRAIGHT LIFT	CHOKED LIFT	B					STRAIGHT LIFT UP TO 45°	CHOKED LIFT UP TO 45°	STRAIGHT LIFT UP TO 45°-60°	CHOKED LIFT UP TO 45°-60°
				0°-7°	7°-45°	45°-60°	UP TO 45°	45°-60°				
		1.0	0.8	2.0	1.4	1.0	0.7	0.5	1.4	1.12	1.0	0.8
VIOLET	WLL 1T	1,000	800	2,000	1,400	1,000	700	500	1,400	1,120	1,000	800
GREEN	WLL 2T	2,000	1,600	4,000	2,800	2,000	1,400	1,000	2,800	2,240	2,000	1,600
YELLOW	WLL 3T	3,000	2,400	6,000	4,200	3,000	2,100	1,500	4,200	3,360	3,000	2,400
GREY	WLL 4T	4,000	3,200	8,000	5,600	4,000	2,800	2,000	5,600	4,480	4,000	3,200
RED	WLL 5T	5,000	4,000	10,000	7,000	5,000	3,500	2,500	7,000	5,600	5,000	4,000
BROWN	WLL 6T	6,000	4,800	12,000	8,400	6,000	4,200	3,000	8,400	6,720	6,000	4,800
BLUE	WLL 8T	8,000	6,400	16,000	11,200	8,000	5,600	4,000	11,200	8,960	8,000	6,400
ORANGE	WLL 10T	10,000	8,000	20,000	14,000	10,000	7,000	5,000	14,000	11,120	10,000	8,000
ORANGE	WLL 12T	12,000	9,600	24,000	16,800	12,000	8,400	6,000	16,800	13,440	12,000	9,600
ORANGE	WLL 15T	15,000	12,000	30,000	21,000	15,000	10,500	7,500	21,000	16,800	15,000	12,000
ORANGE	WLL 20T	20,000	16,000	40,000	28,000	20,000	14,000	10,000	28,000	22,400	20,000	16,000
ORANGE	WLL 25T	25,000	20,000	50,000	35,000	25,000	17,500	12,500	35,000	28,000	25,000	20,000
ORANGE	WLL 30T	30,000	24,000	60,000	42,000	30,000	21,000	15,000	42,000	33,600	30,000	24,000
ORANGE	WLL 50T	50,000	40,000	100,000	70,000	50,000	35,000	25,000	70,000	56,000	50,000	40,000
ORANGE	WLL 60T	60,000	48,000	120,000	84,000	60,000	42,000	30,000	84,000	67,200	60,000	48,000

ROUND SLING

EN STANDARD




5:1 6:1 7:1 8:1
SAFETY FACTORS

COLOR	ITEM	VERTICAL	CHOKER	VERTICAL BASKET	60° BASKET	45° BASKET	30° BASKET
		LBS.	LBS.	LBS.	LBS.	LBS.	LBS.
VIOLET	KSRS-1	2,600	2,100	5,200	4,500	3,700	2,600
GREEN	KSRS-2	5,300	4,200	10,600	9,200	7,500	5,300
YELLOW	KSRS-3	8,400	6,700	16,800	14,500	11,900	8,400
TAWNEY	KSRS-4	10,600	8,500	21,200	18,400	15,000	10,600
RED	KSRS-5	13,200	10,600	26,400	22,900	18,700	13,200
BROWN	KSRS-6	16,800	13,400	33,600	29,100	23,800	16,800
BLUE	KSRS-7	21,200	17,000	42,400	36,700	30,000	21,200
ORANGE	KSRS-8	25,000	20,000	50,000	43,400	35,400	25,000
GREY	KSRS-9	31,000	24,800	62,000	53,700	43,800	31,000
ORANGE	KSRS-10	40,000	32,000	80,000	69,300	56,600	40,000
BROWN	KSRS-11	53,000	42,400	106,000	91,800	74,900	53,000
OLIVE GREEN	KSRS-12	66,000	52,800	132,000	114,300	93,300	66,000
BLACK	KSRS-13	90,000	72,000	180,000	155,900	127,300	90,000

WARNING
Do not exceed rated capacities, ratings must be reduced when slings are used at angles less than 90°C from horizontal

BUCKLES


KS10001



A 105 B 57 C 300

4" RATCHET BUCKLE • B.S.10000KG


KS7502



A 78 B 76 C 220

3" RATCHET BUCKLE • B.S.10000KG


KS5002



A 52 B 57 C 300

2" LONG RATCHET HANDLE BUCKLE • B.S.5000KG


KS5004



A 52 B 57 C 230

2" PLASTIC HANDLE RATCHET BUCKLE • B.S.5000KG


KS7501



A 78 B 57 C 300

3" RATCHET BUCKLE • B.S.10000KG



KS5001



A 52 B 57 C 300

2" ERGO RATCHET BUCKLE • B.S.5000KG


KS5003



A 52 B 57 C 250

2" FINGER HANDLE RATCHET BUCKLE • B.S.5000KG

KS5005




A 52 B 57 C 230

2" ALU HANDLE RATCHET BUCKLE • B.S.5000KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)


KS5006



A 52 B 59 C 230

2" BLACK ELECTROPHORESIS RATCHET BUCKLE • B.S.5000KG


KS5008



A 52 B 57 C 196

2" RATCHET BUCKLE • B.S.5000KG


KS5010



A 52 B 57 C 196

2" RATCHET BUCKLE • B.S.3000KG


KS5012



A 52 B 57 C 250

2" SOFT HANDLE RATCHET BUCKLE • B.S.5000KG

KS5014




A 52 B 57 C 230

2" RED POINT RATCHET BUCKLE • B.S.5000KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)


KS5007



A 52 B 57 C 230

2" RATCHET BUCKLE • B.S.5000KG


KS5009



A 52 B 57 C 230

2" RATCHET BUCKLE • B.S.3000KG


KS5011



A 52 B 57 C 230

2" RATCHET BUCKLE • B.S.3000KG


KS5013



A 52 B 57 C 230

2" RUBBER COATED RATCHET BUCKLE • B.S.5000KG


KS5015



A 52 B 57 C 230

2" BLUE POINT RATCHET BUCKLE • B.S.5000KG


KS5016



A 52 B 57 C 196

2" HEAVY DUTY RATCHET BUCKLE • B.S.6000KG


KS5018



A 52 B 52 C 230

2" RATCHET BUCKLE • B.S.2500KG


KS5020



A B C

2" MEDIUM HANDLE RED POINT RATCHET • B.S.3000KG


KS5022



A 52 B 57 C 300

2" PLASTIC HANDLE RATCHET BUCKLE • B.S.3000KG


KS5024



A 52 B 57 C 196

2" MEDIUM ALU RATCHET BUCKLE • B.S.5000KG


KS5017



A 52 B 52 C 230

2" RATCHET BUCKLE • B.S.2500KG


KS5019



A 52 B 52 C 196

2" MEDIUM HANDLE RED POINT RATCHET • B.S.2500KG


KS5021



A 52 B 52 C 196

2" MEDIUM ALU RATCHET BUCKLE • B.S.2500KG


KS5023



A 52 B 57 C 196

2" MEDIUM HANDLE RATCHET BUCKLE • B.S.5000KG

KS5025




A 52 B 57 C 196

2" PLASTIC HANDLE RATCHET BUCKLE • B.S.5000KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)



KS5026



A 52 B 57 C 170

2" SHORT ALU HANDLE RATCHET • B.S.5000KG


KS5028



A 52 B 40 C 230

2" LIGHT DUTY RATCHET BUCKLE • B.S.2000KG


KS5030



A 52 B 40 C 147

2" LIGHT DUTY RUBBER HANDLE RATCHET • B.S.5000KG


KS3801



A 38 B 49 C 155

1.5" RATCHET BUCKLE • B.S.3000KG


KS3803



A 38 B 40 C 155

1.5" RATCHET BUCKLE • B.S.2000KG


KS5027



A 52 B 40 C 133

2" LIGHT DUTY RATCHET BUCKLE • B.S.2000KG


KS5029



A 52 B 40 C 170

2" LIGHT DUTY RUBBER HANDLE RATCHET • B.S.2000KG


KS5031



A 52 B 40 C 147

2" RATCHET BUCKLE • B.S.2000KG


KS3802



A 38 B 40 C 135

1.5" RATCHET BUCKLE • B.S.2000KG

KS3804




A 38 B 49 C 165

1.5" RATCHET BUCKLE • B.S.3000KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)


KS3805



A 38 B 40 C 150

1.5" ALU HANDLE RATCHET BUCKLE • B.S.2000KG


KS3807



A 38 B 39 C 165

1.5" RATCHET BUCKLE • B.S.2000KG


KS3809



A 38 B 45 C 155

1.5" RATCHET BUCKLE • B.S.1500KG


KS2701



A 28 B 45 C 120

1 - 1/16" RATCHET BUCKLE • B.S.1500KG


KS2702



A 28 B 45 C 135

1 - 1/16" RATCHET BUCKLE • B.S.1500KG


KS3806



A 38 B 40 C 155

1.5" ALU HANDLE RATCHET BUCKLE • B.S.2000KG


KS3808



A 38 B 45 C 155

1.5" RATCHET BUCKLE • B.S.1500KG


KS3810



A 34 B 45 C 126

1.5" T HANDLE RATCHET BUCKLE • B.S.1500KG


KS2702



A 28 B 45 C 126

1 - 1/16" RUBBER HANDLE RATCHET BUCKLE • B.S.1500KG

KS2704




A 28 B 45 C 126

1 - 1/16" RATCHET BUCKLE • B.S.1500KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)


KS2501



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG


KS2503



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG


KS2505



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG


KS2507



A 26 B 65 C 133

1" RATCHET BUCKLE • B.S.800KG

KS2509




A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM)


KS2502



A 26 B 40 C 119

1" RATCHET BUCKLE • B.S.800KG


KS2504



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG


KS2506



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG


KS2508



A 26 B 42 C 127

1" RATCHET BUCKLE • B.S.800KG


KS2510



A 26 B 40 C 115

1" RATCHET BUCKLE • B.S.800KG

STAINLESS STEEL RATCHET BUCKLES



KS7501SS

3" LONG HANDLE
RATCHET BUCKLE

B.S.7500KG



KS7502SS

3" SHORT HANDLE
RATCHET BUCKLE

B.S.7500KG



KS3802SS

1.5" RATCHET
BUCKLE

B.S.2000KG



KS3803SS

1.5" RATCHET
BUCKLE

B.S.2000KG



KS5001SS

2" LONG HANDLE
RATCHET BUCKLE

B.S.3000KG



KS5002SS

2" LONG HANDLE
RATCHET BUCKLE

B.S.3000KG



KS2701SS

1 - 1/16" RATCHET
BUCKLE

B.S.1500KG



KS2702SS

1 - 1/16" RATCHET
BUCKLE

B.S.1500KG



KS5003SS

2" LIGHT DUTY
RATCHET BUCKLE

B.S.2000KG



KS3801SS

1.5" RATCHET
BUCKLE

B.S.2500KG



KS2501SS

1" RATCHET
BUCKLE

B.S.800KG



KS3801WD

1.5" WRENCH DRIVE
STAINLESS STEEL

B.S.3000KG



CAM BUCKLES

KS5012C

2" HEAVY DUTY
CAM BUCKLE

1200 KG /
2600 LBS



KS5015C

2" CAM BUCKLE

1500 KG /
3300 LBS



KS5008C

2" CAM BUCKLE

850 KG /
1850 LBS



KS3812C

1.5" HEAVY DUTY
CAM BUCKLE

1134 KG /
2500 LBS



KS3809C

1.5" CAM BUCKLE

900 KG /
1980 LBS



KS3808C

1.5" CAM BUCKLE

800 KG /
1760 LBS



KS2512C

1" HEAVY DUTY
CAM BUCKLE


1134 KG /
2500 LBS



KS2508C-1

1" CAM BUCKLE


800 KG /
1760 LBS



KS2508C-2

1" CAM BUCKLE

800 KG /
1760 LBS



KS25068C

1" CAM BUCKLE

680 KG /
1540 LBS



KS2507C

1" CAM BUCKLE

700 KG /
1540 LBS



KS2505C

1" CAM BUCKLE

500 KG /
1100 LBS



KS25045C

1" CAM BUCKLE

450 KG /
990 LBS



KS25035C

1" CAM BUCKLE

350 KG /
770 LBS



KS25025C

1" CAM BUCKLE

250 KG /
550 LBS



KS25008C

1" CAM BUCKLE

80 KG /
176 LBS



KS2508L

1" LUGGAGE
BUCKLE

800 KG /
1760 LBS



KS19008C

3/4" CAM BUCKLE

200 KG /
440 LBS



Protecting your cargo with corner protectors



At ImportDeals, we offer a wide range of corner protectors designed to safeguard your cargo during transport.

These protectors ensure that straps and cargo edges remain intact, preventing damage to both your goods and the securing equipment. Whether you're securing large pallets, steel bars, or delicate items, our corner protectors provide the ultimate protection.

AVAILABLE IN

Lightweight

Medium


Heavy-duty

Flexibility for your needs

We understand that every load is different, which is why we offer our corner protectors in multiple colors and sizes. No matter the cargo or the transport conditions, our protectors are designed to keep your goods secure.




Available in multiple sizes and load capacities, our round slings are the perfect solution for lifting and securing goods with maximum efficiency and safety.



KS200101A

4-INCH OPEN PROFILE CORNER PROTECTION


SIZE	92 X 105MM
WEIGHT	48.5G
THICKNESS	1.9MM



KS200102A

4-INCH PROFILE CORNER PROTECTION


SIZE	92 X 105MM
WEIGHT	48.5G
THICKNESS	1.9MM



KS200103 A

4-INCH 3 POLE PROFILE CORNER PROTECTION

SIZE	98 X 110MM
WEIGHT	85.1G
THICKNESS	3.05MM



KS200114 A

4-INCH OPEN PROFILE CORNER PROTECTION


SIZE	91 X 110MM
WEIGHT	48.5G
THICKNESS	2.9MM



KS200111A

4-INCH 3 POLE PROFILE CORNER PROTECTION


SIZE	98 X 144.6MM
WEIGHT	78G
THICKNESS	2.9MM



KS200106A

10 INCH PROFILE CORNER PROTECTION


SIZE	113 X 116MM
WEIGHT	170G
THICKNESS	3.2MM



KS200112A

10 INCH PROFILE CORNER PROTECTION


SIZE	113 X 116MM
WEIGHT	170G
THICKNESS	3.2MM




KS200105A

9-IN. 3 POLE PROFILE CORNER PROTECTION

SIZE	106 X 108MM
WEIGHT	158.7G
THICKNESS	3MM






KS200108A

10-INCH PROFILE
CORNER PROTECTION


SIZE	200 X 110MM
WEIGHT	415.5G
THICKNESS	3.9MM



KS200109A

24-INCH PROFILE
CORNER PROTECTION


SIZE	200 X 115MM
WEIGHT	940G
THICKNESS	4MM



KS200113A

18-INCH PROFILE
CORNER PROTECTION


SIZE	106 X 150MM
WEIGHT	520G
THICKNESS	4.05MM



KS200116A

48-INCH PROFILE
CORNER PROTECTION


SIZE	250 X 115MM
WEIGHT	1850G
THICKNESS	4.8MM



KS200115A

10-INCH PROFILE
CORNER PROTECTION


SIZE	205 X 120MM
WEIGHT	370G
THICKNESS	3.9MM



KS200104A

ROLL PAPER CORNER
PROTECTION


SIZE	165 X 58MM
WEIGHT	159G
THICKNESS	2.65MM



KS200110A

SMALL ROLL PAPER
CORNER PROTECTION


SIZE	110 X 58MM
WEIGHT	100G
THICKNESS	2.4MM



KS200107A

2-INCH LIGHT
WOODEN CORNER
PROTECTION


SIZE	62 X 57MM
WEIGHT	16G
THICKNESS	2MM



KS200201A


1-INCH CORNER
TENSIONER CORNER
PROTECTION

SIZE	28 X 25MM
WEIGHT	14.5G
THICKNESS	3.4MM




Stainless steel corner protectors

Our stainless steel corner protectors are available in various standard sizes, but we also offer custom solutions to meet specific needs. Whether you require particular dimensions or unique shapes, we can deliver a tailored solution that perfectly fits your requirements.



Triangle
cardboard
box corner
protector



KSQF016	
SIZE	80 X 80MM
WEIGHT	11.2G
THICKNESS	1.2MM



KSQF015	
SIZE	58 X 58MM
WEIGHT	6.46G
THICKNESS	1.2MM



KSQF012	
SIZE	50 X 50MM
WEIGHT	4.6G
THICKNESS	1.1MM



KSQF011	
SIZE	35 X 35MM
WEIGHT	2.33G
THICKNESS	1.1MM

HOOKS

DOUBLE J HOOK

ITEM NUMBER		CAP (KG)	A	B	C	D
1"	KS9001	800	6	49	28	10
	KS9002	800	6	55	27	19
	KS9003	1,500	7	60	27	20
	KS9004	2,000	8	80	28	20
	KS9005	2,500	9	85	25	20
1 - 1/2"	KS9006	1,500	7	51	35	11
	KS9007	2,500	9	62	36	18
	KS9008	2,500	8	85	38	16
	KS9009	3,000	10	70	38	19
	KS9010	3,000	9.5	85	38	16
2"	KS9011	3,000	9.5	93	40	18
	KS9012	700	6	69	54	25
	KS9013	1,500	7	70	52	25
	KS9014	2,000	8	75	52	18
	KS9015	2,000	8	86	50	18
	KS9016	2,000	8	97	50	18
	KS9017	2,500	9	90	50	19
	KS9018	3,000	9.5	85	50	25
	KS9019	5,000	12	85	50	25
	KS9020	5,000	12	96	50	25
	KS9021	5,000	12	107	50	25
	KS9022	6,800	13	101	50	25
3"	KS9023	10,000	16	130	76	18
4"	KS9024	10,000	16	135	102	18
STAINLESS STEEL	KS9004SS	500	8	80	28	20
	KS9009SS	1,500	9	85	25	20
	KS9018SS	3,000	12	96	50	25

A= BEND LENGTH (MM) B= HEIGHT (MM) C= ARM LENGTH (MM) D= DIAMETER (MM)



KS9025-1

1" S HOOK

B.S.1100KG



KS9025-2

1" S HOOK

B.S.750KG



KS9025-3

1" S HOOK

B.S.5000KG



KS9025-4

1" S HOOK

B.S.500KG



KS9025-5

1" S HOOK

B.S.1500KG



KS9025-6

1" S HOOK

B.S.950KG



KS9025-7

1" S HOOK

B.S.2000KG



KS9026

1.5" SINGLE J HOOK

B.S.3000KG



KS9027

2" SINGLE J HOOK

B.S.5000KG



KS9028

1.5" CLAW HOOK

B.S.3000KG



KS9029

2" CLAW HOOK

B.S.5000KG



KS9029

3" CLAW HOOK

B.S.1000KG



KS9030

1.5" WELDED DOUBLE J HOOK

B.S.3000KG



KS9031

2" WELDED DOUBLE J HOOK

B.S.5000KG



KS9032

1.5" DOUBLE J HOOK W/ SAFETY LATCH

B.S.3000KG



KS9032

2" DOUBLE J HOOK W/ SAFETY LATCH

B.S.5000KG



KS9034

1" SWAN HOOK

B.S.1500KG



KS9035

1.5" SWAN HOOK

B.S.3000KG



KS9036

2" SWAN HOOK

B.S.5000KG



KS9037

3" SWAN HOOK

B.S.10000KG



KS9050

1.5" METAL FLAT HOOK

B.S.3000KG



KS9051

1.5" METAL FLAT HOOK

B.S.300KG



KS9052

2" SERIES F HOOK

B.S.900KG



KS9053

2" FLAT HOOK

B.S.2500KG



KS9038

1.5" SINGLE J HOOK W/
WELDED TUBE

B.S.3000KG



KS9039

2" SINGLE J HOOK W/
WELDED TUBE

B.S.5000KG



KS9040

1.5" SWIVEL J HOOK

B.S.3000KG



KS9041

2" SWIVEL J HOOK

B.S.5000KG



KS9054

2" FLAT HOOK

B.S.5000KG



KS9055

2" FLAT HOOK

B.S.450KG



KS9056

3" FLAT HOOK

B.S.6000KG



KS9057

4" FLAT HOOK

B.S.7350KG



KS9042

2" CLOSE RAVE HOOK

B.S.1600KG



KS9043

3" CLOSE RAVE HOOK

B.S.8000KG



KS9044

1" CLOSE RAVE HOOK

B.S.1600KG



KS9045

1" SMALL WIRE HOOK

B.S.100KG



KS9058

1" FLAT SNAP HOOK

B.S.1500KG



KS9059

1.5" FLAT SNAP HOOK

B.S.2270KG



KS9060

2" FLAT SNAP HOOK

B.S.5000KG



KS9061

2" FLAT SNAP HOOK

B.S.3000KG



KS9046

2" BELT SHACKLE HOOK

B.S.12000KG



KS9047-1

3" BELT SHACKLE HOOK

B.S.20000KG



KS9048

1" BUTTERFLY HOOK

B.S.800KG



KS9049

1" FLAT HOOK

B.S.1300KG



KS9062

2" FLAT SNAP HOOK

B.S.1500KG



KS9063

2" TWISTED SNAP HOOK

B.S.5000KG



KS9064

2" SWIVEL SNAP HOOK

B.S.5000KG



KS9065

3" FLAT SNAP HOOK

B.S.7500KG



KS9066

1" / 1.5" / 2"

FORGED ONE WAY
BUCKLE

B.S.3000 / 4000 /
5000KG



KS9067

1" / 1.5" / 2"

WELDED ONE WAY
BUCKLE

B.S.3000 / 4000 /
5000KG



KS9066

1" / 1.5" / 2"

D RING

B.S.1200 / 1500 /
3000KG



KS9067

1.5" / 2"

O RING

B.S.2000 / 3000KG



KS9079

END CLAMP (FOR
CONTAINER)

B.S.2.9KG



KS9080

HEAVY DUTY
RECESSED ANCHOR

B.S.2200KG



KS9081

LIGHT DUTY
RECESSED ANCHOR

B.S.3500KG



KS9082

HEAVY DUTY
RECESSED ANCHOR

B.S.2270KG



KS9067

2" TRIANGLE RING

B.S.3000 / 5000KG



KS9068

2" TRIANGLE RING

B.S.4000 / 5000KG



KS9069

3" & 4" TRIANGLE
RING

B.S.8000 / 9000KG



KS9069

E-TRACK FITTING

B.S.1600KG



KS9083

MARINE BOLT FITTING
(BLACK)

B.S.1000KG



KS9084

MARINE BOLT FITTING
(SILVER)

B.S.1000KG



KS9085

RECESSED ANCHOR

B.S.550KG



KS9086

SURFACE MOUNT
ANCHOR

B.S.550KG



KS9070

ELEPHANT FOOT

B.S.10000KG



KS9071

WEB FOOT

B.S.12000KG



KS9072

EYE ELEPHANT FOOT

B.S.21000KG



KS9073

FORGED HOOK W/
TRIANGLE RING

B.S.5000KG



KS9087

SWIVEL ANCHOR

B.S.2500KG



KS9088

SINGLE STUD FITTING

B.S.1818KG



KS9089

SINGLE STUD FITTING

B.S.1818KG



KS9090

SINGLE STUD FITTING

B.S.1818KG



KS9074

CONNECTING RING
20TN

B.S.10000KG



KS9075

DROP FORGED RING

B.S.20000KG



KS9076

WINCH

B.S.20000KG



KS9077

WINCH

B.S.5000KG



KS9091

DOUBLE STUD FITTING

B.S.2727KG



KS9092

DOUBLE STUD FITTING
WITH O RING

B.S.2727KG



KS9093

DOUBLE STUD FITTING
WITH OVAL RING

B.S.2727KG



KS9094

DOUBLE STUD FITTING
WITH LONG RING

B.S.2727KG



KS9095

SERIES E/A FITTING
W/O RING

B.S.1900KG



KS9096

1" CAR LASHING HOOK

B.S.2000KG



KS9097

NYLON OVB FITTING

B.S.500KG



KS9098

S. STEEL OVB FITTING

B.S.500KG



KS9099

WIRE HOOK

B.S.100KG



KS9100

QUICK LINK (3.5MM -
16MM)

REQUEST SIZES



KS9101

DELTA SHAPED QUICK
LINK

REQUEST SIZES



KS9102

SNAP HOOK (3.5MM -
16MM)

REQUEST SIZES



KS9102

SNAP HOOK (3.5MM -
16MM)

REQUEST SIZES



KS9102

SNAP HOOK (3.5MM -
16MM)

REQUEST SIZES



KS9102

SNAP HOOK (3.5MM -
16MM)

REQUEST SIZES



KS9102

SNAP HOOK (3.5MM -
16MM)

REQUEST SIZES

Certifications

At ImportDeals, we prioritize quality and safety. Our products are rigorously tested and certified to meet international standards, ensuring both performance and durability. **With TÜV and GS certifications, you can trust that our manufacturing processes meet the highest safety requirements.**

www.tuv.com
ID: 111283126



Customization options

At ImportDeals, we pride ourselves on providing flexible and tailored solutions for our customers. We understand that each project is unique, and we offer the following customization options:

LOGOS AND BRANDING

Customers can add their own logos or branding to both hardware parts (hooks, buckles, etc.) and webbing straps. This helps businesses personalize their products for branding or promotional purposes.

SIZES & DIMENSIONS

We can produce straps and webbing in various lengths, widths, and strengths to meet the specific needs of each project. Whether you need longer straps, wider slings, or stronger materials, we've got you covered.

COLOR CUSTOMIZATION




Choose from a wide variety of colors for webbing and straps to align with your brand or project needs. We offer standard colors as well as the option for custom color requests.

MATERIAL OPTIONS

For hardware, we provide different material choices such as stainless steel, zinc-coated steel, and other finishes depending on the requirements for durability, appearance, and resistance.

STRENGTH & DURABILITY

We can manufacture webbing with varying levels of load capacities and durability, ensuring that the products match your specific safety and strength requirements.





ADDRESS

Store Torv 9, 8000 Aarhus C

EMAIL

Support@importdeals.dk

PHONE

+45 29 82 87 74

CVR

40611452